

BCS-L-TIP18FCR3L3-Ai1

Index: 11898

GTIN13/EAN13: 5904890711471

URL: <https://bcs.pl/gb/8mpx/3766-bcs-l-tip18fcr3l3-ai1-5904890711471.html>**BCS** LINE

Product Details

Product	BCS-L-TIP18FCR3L3-Ai1
Brand	BCS LINE
Camera type	Bullet
Resolution	8 Mpx
Sensor	1/2.7" CMOS
Scanning system	Progressive Scan
Pixels	3840(H)×2160(V)
RAM	256MB
ROM	128MB
Lens	fixed
Focal length	2.8 mm
Aperture	F1.6
Focus	fixed
Iris	fixed
Digital zoom	16×
Angle of view	H: 111° V: 58° D: 132°
DORI	Detect 85m/ Observe 34m/ Recognize 17m/ Identify 8m
Min illumination	0.008Lux(Color,F1.6,30IRE) 0.0008Lux(B/W,F1.6,30IRE) 0Lux(IR)
S/N ratio	56dB
White balance	(AWB) Auto / manual
WDR	120dB
Backlight compensation	BLC / HLC / WDR(120dB)

Shutter	Auto / manual 1/3~1/100000s
Gain control	(AGC) Auto / manual
Noise reduction	3D DNR
Image rotate	Mirror, Flip 0°/90°/180°/270°
Stream support	2
Resolutions	8M(3840×2160) /6M(3072×2048) /5M(3072×1728)(2880×1620) /4M(2688×1520) /3M(2048×1536)(2304×1296) /2M(1920×1080) /1.3M(1280×960) /720P(1280×720) /D1(704×576/704× 480) /VGA(640×480) /CIF(352×288/352×240)
Main stream	3840×2160(1~20fps) 2688×1520(1~25/30fps)
Second stream	704×576(1~25fps) 704×480(1~30fps)
Bitrate	H.264: 32 Kbps~8192 Kbps H.265: 12 Kbps~8192 Kbps
Video compression	H.265+ / H.265 / H.264+ / H.264 / MJPEG
Day/night	ICR mechanical infrared filter
Illuminator type	IR LED + White Light
Illuminator	30m
NightColor	Yes
Microphone	Yes
Audio compression	G.711A / G.711Mu / G.726 / PCM
Storage	FTP, SFTP, NAS
Memory card slot	microSD 256GB
Support	Web Service, CMS BCS Manager (Windows/Linux/MAC), Mobile App(iOS, android)
Motion detect	4
Privacy masking	4
Network	RJ-45 10/100 Mbps
Compatibility	ONVIF(S/G/T)
Protocols	IPv4, IPv6, HTTP, TCP, UDP, ARP, RTP, RTSP, RTCP, RTMP, SMTP, FTP, SFTP, DHCP, DNS, DDNS, NTP, Multicast, ICMP, IGMP
Power supply type	12VDC / PoE(802.3af)
Power consumption	max 5.9W
Housing color	White
IP class	IP67
Working environment	-40°C~+60°C max 95% RH
Dimensions	166.2×70×70mm
Weight	0.48 kg
Ai - Built-in intelligent functions	Built-in intelligent algorithm of image analysis
Ai - Perimeter protection	Crossline, intrusion
Ai - Human/vehicle detection	Human/vehicle classification for crossline and intrusion reduces false alarms
Ai - SMD - Smart Motion Detection	SMD 4.0

Accessories



BCS-AT135



BCS-AT3



BCS-AT356